

DALI DALI-2 D4i

DALI

20 90 DALI
 DALI DALI

DALI DALI-2 D4i
 DiA DALI DALI-2 IEC
 62386

DALI-2

DALI-2 DALI DALI
 DALI
 DALI-2
 DiA DALI-2
 DiA DALI-2
 DALI 1
 DALI-2
 LED

DALI - 2 LED			
IEC62386	DALI		
IEC62386-101	DALI	101	DALI
IEC62386-102	DALI	102	
IEC62386-207	DALI	207	DALI LED

1 DALI-2 LED
 DALI-2

D4i
 2
 D4i DALI-2
 DALI-2 D4i

D4i LED			
IEC62386	DALI		
IEC-62386-101	DALI	101	DALI
IEC-62386-102	DALI	102	
IEC-62386-207	DALI	207	DALI LED
-	DALI	250	DALI
-	DALI	251	1
-	DALI	253	

2 DALI-2 D4i LED

DALI 253

•

-
-
-
-
-

DALI 102

Vdc
nA

NIC

3

DALI 253



DALI 253

DALI 253
0 253

3

DALI 253

VAC

RMS

D4i

DC

4

5

LED

	-

4

	-

5

NIC

(

(

NIC

DALI 253

1

DALI 253

136

136

DALI 253

LED


1600 DALI 253 100 25° C

-

1 AC DALI 252 6 1

6 DALI 252

DALI 253



1

1
 DALI 102 DALI 251
 0 1 1
 0 DALI 251
 7 1
 8 0

wh

RMS W RMS VA

wh

ALX DALI

wh

DALI 252

1

1
GIIN*
*
CRI
CCT K
IES 901. 11
60 ASCII
*DALI 102

7 1

