

INVENTRONICS

EUV-200SxxxST

Rev. R

200W IP67

- O) %%
-
- +bM# - bM
-
- @- LC
- J<CM
- : @jj @; imj if e)
- ,



<L M\$ ' ' JxxxJK) ' ' N

O' \$*' , Mac

	1			2			3
					110Vac	220Vac	


(LC (' ' \$) . . Mac2 (' ' \$) + ' Mac BJ
)) ' Mac#(' ' %
 * J<CM

	O' Mac	\$	*' , Mac	
	+ . ? z	\$	- * ? z	
	\$	\$		LC/ . , ' 2) . . Mac&- ' ? z
	\$	\$		@: - ' , O/\$(2) + ' Mac&- ' ? z

				(' ' % (' ' M̄ac
				(' ' %)) ' M̄ac
@k)) ' M̄ac) , (' % \$ (' % = (% d J
				(' ' ~) . . M̄ac , ' \$ ' ? z (' ' %


				(' ' %
				# (' ' %
gb\$gb) ' D ? z ' % l = (' l =
			±	(' ' %
			±	
				((' M̄ac (' ' %
)) ' M̄ac (' ' %
				& 1 (8 & J 1) , % ~ . , %
			°	= ° Kc






				(' ' %) , ° (%




EMS	

Ž ž <D @ Ž ž <D @
 ž ž # & ž ž
 Ž @: -', O/\$(' %ž







功率因数 vs.输出电压(12V)




功率因数 vs.输出电压(24V)




功率因数 vs.输出电压(36V)




功率因数 vs. 输出电压(42V)



功率因数 vs.输出电压(48V)




功率因数 vs.输出电压(54V)




24V

	()' % ⌀	(+' % ⌀)'' % ⌀	

EUV-200S012ST



) 8N > (/# (' 8%)



RoHS

			&		&
		MF = +) M MF = , ' M MF = ;) M MF = / (M MF = (' , M	&		
			' % j	(% j	' % j
			' % j	' % j	(% j
		<L M%) ' ' J' , +JK 7 ((' Mac	&		(%
			&		
			&		
			&		&
		, +M 7)) ' Mac	&		' %%
		* - M	&		' %%
		D K9=	&		
		G= K? ;	&		
			&		
		D K9=			
			&		
) N		* N
			&		
			&		
			&		
) +M	&		
		—	, , % ~ (' ' %		(' ' %
			&		
			&		&

			&	
			&	
			<L M\$ ' ' J' +) JK	
			&	
			&	
			&	
			&	
	BJ		&	
			&	
			&	
			,	
		&		
			' %, %&:	' %, %&:
			&	
			&	
		\$	(' /' g	((, ' g
	B: :		&	
			+bM# - bM	+bM# - bM

			&	
			&	
)'(\$. \$ -			&	