

- 93.5%
- 
- 4kV 6kV
- 
- IP67
- SELV
- 5



350W IP67

176-305Vac

		(3)	220Vac	

220/230/240Vac; CCC 200-240Vac 190- Vdc BIS  
 90-305Vac 90-176Vac " "

c, 100%  
 000

AC				
DC				
		-		

				220Vac 100%
$I^2t$				220Vac 25 10%Ipk-10%Ipk = ms

				100%
				0% - 100% 20MHz 0.1μF 10μF
				100%
				100%
				220Vac
				/

# INVENTRONICS

**EBV-350SxxxSV**

Rev. D

**350W**

**IP67**

				220 Vac 80% 70
			o	5
(L × W × H)	7.87 x 3.15 x 1.65		8.94 x 3.15 x 1.65	
(L × W × H)	200 x 80 x 42		227 x 80 x 42	


<b>EMS</b>		

EMS	


1 EMI


( ) EMI

降额曲线




寿命 vs. 壳温







EBV-350S012SV  
效率 vs. 输出电流




EBV-350S024SV  
效率 vs. 输出电流





EBV-350S036SV  
效率 vs. 输出电流






EBV-350S048SV  
效率 vs. 输出电流







EBV-350S012/024SV



EBV-350S012/024SV-3000







		KC		
			EMI	